



Astrolabe

LIFE AND MOBILITY

Box Components

Volar-e 2,4 / 2,4 & 2,7

Box Components Kit

09.50.03.00210

Component Cases / Component Trays


09.50.04.00220

09.50.06.00184


09.50.06.00185

09.50.06.00186


09.50.08.00100




















Volar-e
2,4 / 2,4 & 2,7




Implant Tray Tray 2



















N#	REF	DESC	QTY
1	26.24.22.10103	Special Locking Plate, Ti, Radius Standard, Volar-E, Left, 03 Holes	1
	26.24.22.10104	Special Locking Plate, Ti, Radius Standard, Volar-E, Left, 04 Holes	1
	26.24.22.10107	Special Locking Plate, Ti, Radius Standard, Volar-E, Left, 07 Holes	1
	26.24.22.10112	Special Locking Plate, Ti, Radius Standard, Volar-E, Left, 12 Holes	1
	26.24.22.10114	Special Locking Plate, Ti, Radius Standard, Volar-E, Left, 14 Holes	1
2	26.24.22.10203	Special Locking Plate, Ti, Radius Standard, Volar-E, Right, 03 Holes	1
	26.24.22.10204	Special Locking Plate, Ti, Radius Standard, Volar-E, Right, 04 Holes	1
	26.24.22.10207	Special Locking Plate, Ti, Radius Standard, Volar-E, Right, 07 Holes	1
	26.24.22.10212	Special Locking Plate, Ti, Radius Standard, Volar-E, Right, 12 Holes	1
3	26.24.22.10214	Special Locking Plate, Ti, Radius Standard, Volar-E, Right, 14 Holes	1
	26.24.22.20103	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Left, 03 Holes	1
	26.24.22.20104	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Left, 04 Holes	1
	26.24.22.20107	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Left, 07 Holes	1
4	26.24.22.20112	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Left, 12 Holes	1
	26.24.22.20114	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Left, 14 Holes	1
	26.24.22.20203	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Right, 03 Holes	1
	26.24.22.20204	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Right, 04 Holes	1
5	26.24.22.20207	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Right, 07 Holes	1
	26.24.22.20212	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Right, 12 Holes	1
	26.24.22.20214	Special Locking Plate, Ti, Radius Standard, Volar-E Dual Head, Right, 14 Holes	1
	09.15.06.24003	Bending Template, for Radius STD Volar-E, Right, 03 Holes	1
09.15.06.24004	Bending Template, for Radius STD Volar-E, Right, 04 Holes	1	
09.15.06.24004	Bending Template, for Radius STD Volar-E, Right, 04 Holes	1	
09.15.06.24007	Bending Template, for Radius STD Volar-E, Right, 07 Holes	1	
09.15.06.24012	Bending Template, for Radius STD Volar-E, Right, 12 Holes	1	

	N#	REF	DESC	QTY
	5	09.15.06.24014	Bending Template, for Radius STD Volar-E, Right, 14 Holes	1
		09.15.07.24003	Bending Template, for Radius STD Volar-E, Left, 03 Holes	1
		09.15.07.24004	Bending Template, for Radius STD Volar-E, Left, 04 Holes	1
		09.15.07.24007	Bending Template, for Radius STD Volar-E, Left, 07 Holes	1
		09.15.07.24012	Bending Template, for Radius STD Volar-E, Left, 12 Holes	1
		09.15.07.24014	Bending Template, for Radius STD Volar-E, Left, 14 Holes	1
	6	09.05.06.21245	Insertion Guide, for Radius STD Volar-E, Right	1
		09.05.06.11245	Insertion Guide, for Radius STD Volar-E, Left	1
	7	09.05.06.22245	Insertion Guide, for Radius STD Volar-E Dual Head, Right	1
		09.05.06.12245	Insertion Guide, for Radius STD Volar-E Dual Head, Left	1
	8	26.24.24.10103	Special Locking Plate, Ti, Radius Narrow, Volar-E, Left, 03 Holes	1
		26.24.24.10104	Special Locking Plate, Ti, Radius Narrow, Volar-E, Left, 04 Holes	1
	9	26.24.24.10203	Special Locking Plate, Ti, Radius Narrow, Volar-E, Right, 03 Holes	1
		26.24.24.10204	Special Locking Plate, Ti, Radius Narrow, Volar-E, Right, 04 Holes	1
	10	26.24.24.20103	Special Locking Plate, Ti, Radius Narrow, Volar-E Dual Head, Left, 03 Holes	1
		26.24.24.20104	Special Locking Plate, Ti, Radius Narrow, Volar-E Dual Head, Left, 04 Holes	1
	11	26.24.24.20203	Special Locking Plate, Ti, Radius Narrow, Volar-E Dual Head, Right, 03 Holes	1
		26.24.24.20204	Special Locking Plate, Ti, Radius Narrow, Volar-E Dual Head, Right, 04 Holes	1
	12	09.15.10.24003	Bending Template, for Radius Narrow Volar-E, Right, 03 Holes	1
		09.15.10.24004	Bending Template, for Radius Narrow Volar-E, Right, 04 Holes	1
		09.15.11.24003	Bending Template, for Radius Narrow Volar-E, Left, 03 Holes	1
		09.15.11.24004	Bending Template, for Radius Narrow Volar-E, Left, 04 Holes	1
	13	09.05.06.21215	Insertion Guide, for Radius Narrow Volar-E, Right	1
		09.05.06.11215	Insertion Guide, for Radius Narrow Volar-E, Left	1
	14	09.05.06.22215	Insertion Guide, for Radius Narrow Volar-E Dual Head, Right	1
		09.05.06.12215	Insertion Guide, for Radius Narrow Volar-E Dual Head, Left	1
	15	26.24.23.10104	Special Locking Plate, Ti, Radius Wide, Volar-E, Left, 04 Holes	1
		26.24.23.10204	Special Locking Plate, Ti, Radius Wide, Volar-E, Right, 04 Holes	1
	17	26.24.23.20104	Special Locking Plate, Ti, Radius Wide, Volar-E Dual Head, Left, 04 Holes	1
		26.24.23.20204	Special Locking Plate, Ti, Radius Wide, Volar-E Dual Head, Right, 04 Holes	1
	19	09.15.08.24004	Bending Template, for Radius Wide Volar-E, Right, 04 Holes	1
		09.15.09.24004	Bending Template, for Radius Wide Volar-E, Left, 04 Holes	1
	20	09.05.06.21275	Insertion Guide, for Radius Wide Volar-E, Right	1
		09.05.06.11275	Insertion Guide, for Radius Wide Volar-E, Left	1
	21	09.05.06.22275	Insertion Guide, for Radius Wide Volar-E Dual Head, Right	1
		09.05.06.12275	Insertion Guide, for Radius Wide Volar-E Dual Head, Left	1
	22	26.24.21.00103	Special Locking Plate, Ti, Ulna Distal, Left, 03 Holes	1
		26.24.21.00105	Special Locking Plate, Ti, Ulna Distal, Left, 05 Holes	1
	23	26.24.21.00203	Special Locking Plate, Ti, Ulna Distal, Right, 03 Holes	1
		26.24.21.00205	Special Locking Plate, Ti, Ulna Distal, Right, 05 Holes	1


Instrument Tray – Tray 1












	N#	REF	DESC	QTY
	24	09.08.00.00020	Depth Stick, Ø2.0mm	1
	25	09.05.13.03020	Quick Graduated Drill Guide, Ø2.0 x 30mm	1
	26	09.08.01.00040	Depth Gauge, 40mm	1
	27	09.08.02.16090	Gauge 90mm, Direct Measuring, for Wire 150mm, up to 1.6mm	1
	28	09.05.03.02427	2.4/2.7mm Screw Angle Drill Guide	1
	29	09.05.00.24000	Drill Guide, Ø2.4/Ø1.8mm, Universal	1
		09.50.10.00150	Dispenser for K-Wire 150mm	2
	30	17.02.01.11150	Kirschner Wire, SS, Trocar/Round, Ø1,1 x 150mm	10
		17.02.03.12150	Kirschner Wire, SS, Threaded Tip, Ø1,2 x 150mm	10
	31	09.13.00.12735	Bender, for 2.7_3.5mm System Plates, Left	1
	32	09.13.00.22735	Bender, for 2.7_3.5 System Plates, Right	1


	N#	REF	DESC	QTY
	33	09.16.01.08160	Hohmann Retractor, 8mm width, Small, Short Narrow Tip, 160mm	2
	34	09.10.06.10150	Plate and Screw Holding Forceps, Angled-Serrated Jaw, 150mm	1
	35	09.09.01.00000	Sharp Hook, Small	2
	36	09.04.04.12030	Handle, Cannulated, AO Coupling, 120mm, Green	2
	37	09.10.08.12132	Hook Plate, Reduction Fragment Tool	1
	38	09.18.01.00008	Torque Limiting Attachment, 0.8 Nm, AO Coupling	1
	39	09.06.04.24000	Holding Sleeve, Ø2.4mm	1
	40	09.01.17.18130	Graduated Drill Bit, Ø1,8 x 130 mm, AO Coupling	2
	41	09.01.18.20130	Graduated Drill Bit, Ø2,0 x 130 mm, AO Coupling, Blue Code	2
	42	09.01.18.22130	Graduated Drill Bit, Ø2,2 x 130 mm, AO Coupling, Green Code	2
	43	09.01.01.18100	Drill Bit, Ø1.8 x 100mm, twist length 30mm, AO Coupling	2
	44	09.01.02.20100	Drill Bit, Ø2.0 x 100mm, twist length 30mm, AO Coupling, Blue Code	1
	45	09.01.04.20095	Drill Bit, Cannulated, Øext. 2.0 x Øint. 1.2 x 95mm, twist length 26mm, AO Coupling	1
	46	09.01.02.22100	Drill Bit, Ø2.2 x 100mm, twist length 30mm, AO Coupling, Green Code	2
	47	09.07.03.02590	Shaft Screwdriver, Cannulated, Hexagonal 2.5, 90mm, AO Coupling	2
	48	09.07.08.05090	Shaft Screwdriver, Cannulated, Torx-5, 90mm, AO Coupling	2
	49	09.07.08.08090	Shaft Screwdriver, Cannulated, Torx-8, 90mm, AO Coupling	2
	50	09.02.02.27000	Countersink, Cannulated, Ø2.7mm, AO Coupling	2

Box




	N#	REF	DESC	QTY
	51	09.14.02.30260	Bending Pliers 2,7/3,5 Reconstruction Plates, 260mm	1
	52	09.10.02.02135	Reposition Forceps, Ratchet, Broad, 135mm	2
	53	09.14.03.00180	Cutting Pliers, 180mm	1
	54	09.10.04.01145	Reduction Forceps, Serrated Jaw, Ratchet, 145mm	2
	55	09.17.01.06000	Periosteal Elevator, 6mm width, Curved Blade, Round Edges	1
	56	09.05.05.20015	Drill Guide, Ø2.0mm, Threaded, Volar-E	-
	56	09.06.02.12008	Wire Sleeve, Ø1.2 X 8mm	-
	56	15.18.01.24000	Plug Screw, Locking Plate, Ti, Ø2,4mm Torx	-
	56	15.18.02.24000	Cannulated Plug Screw, Locking Plate, Ti, Ø2,4mm Torx	-
	56	99.06.00.00001	Volar-E Hook Plate, Standard	-
	56	99.06.00.00002	Volar-E Hook Plate, Narrow	-
	56	99.06.02.02075	Volar-E Hook Plate, Screw	-

Screw Box



Screw Box



57



58

N#	REF	DESC	QTY
	15.14.02.24008	Locking Screw with Variable Angle, Ti, Ø2.4 x 08mm, Torx	5
	15.14.02.24010	Locking Screw with Variable Angle, Ti, Ø2.4 x 10mm, Torx	5
	15.14.02.24012	Locking Screw with Variable Angle, Ti, Ø2.4 x 12mm, Torx	5
	15.14.02.24014	Locking Screw with Variable Angle, Ti, Ø2.4 x 14mm, Torx	5
	15.14.02.24016	Locking Screw with Variable Angle, Ti, Ø2.4 x 16mm, Torx	5
	15.14.02.24017	Locking Screw with Variable Angle, Ti, Ø2.4 x 17mm, Torx	5
	15.14.02.24018	Locking Screw with Variable Angle, Ti, Ø2.4 x 18mm, Torx	5
	15.14.02.24019	Locking Screw with Variable Angle, Ti, Ø2.4 x 19mm, Torx	5
	15.14.02.24020	Locking Screw with Variable Angle, Ti, Ø2.4 x 20mm, Torx	5
	15.14.02.24021	Locking Screw with Variable Angle, Ti, Ø2.4 x 21mm, Torx	5
	15.14.02.24022	Locking Screw with Variable Angle, Ti, Ø2.4 x 22mm, Torx	5
	15.14.02.24023	Locking Screw with Variable Angle, Ti, Ø2.4 x 23mm, Torx	5
	15.14.02.24024	Locking Screw with Variable Angle, Ti, Ø2.4 x 24mm, Torx	5
	15.14.02.24026	Locking Screw with Variable Angle, Ti, Ø2.4 x 26mm, Torx	5
	15.14.02.24028	Locking Screw with Variable Angle, Ti, Ø2.4 x 28mm, Torx	5
	15.14.02.24030	Locking Screw with Variable Angle, Ti, Ø2.4 x 30mm, Torx	5
	15.14.02.27008	Locking Screw with Variable Angle, Ti, Ø2.7 x 08mm, Torx	5
	15.14.02.27010	Locking Screw with Variable Angle, Ti, Ø2.7 x 10mm, Torx	5
	15.14.02.27012	Locking Screw with Variable Angle, Ti, Ø2.7 x 12mm, Torx	5
	15.14.02.27014	Locking Screw with Variable Angle, Ti, Ø2.7 x 14mm, Torx	5
	15.14.02.27016	Locking Screw with Variable Angle, Ti, Ø2.7 x 16mm, Torx	5
	15.14.02.27017	Locking Screw with Variable Angle, Ti, Ø2.7 x 17mm, Torx	5
	15.14.02.27018	Locking Screw with Variable Angle, Ti, Ø2.7 x 18mm, Torx	5
	15.14.02.27019	Locking Screw with Variable Angle, Ti, Ø2.7 x 19mm, Torx	5
	15.14.02.27020	Locking Screw with Variable Angle, Ti, Ø2.7 x 20mm, Torx	5
	15.14.02.27021	Locking Screw with Variable Angle, Ti, Ø2.7 x 21mm, Torx	5
	15.14.02.27022	Locking Screw with Variable Angle, Ti, Ø2.7 x 22mm, Torx	5
	15.14.02.27023	Locking Screw with Variable Angle, Ti, Ø2.7 x 23mm, Torx	5
	15.14.02.27024	Locking Screw with Variable Angle, Ti, Ø2.7 x 24mm, Torx	5
	15.14.02.27026	Locking Screw with Variable Angle, Ti, Ø2.7 x 26mm, Torx	5
	15.14.02.27028	Locking Screw with Variable Angle, Ti, Ø2.7 x 28mm, Torx	5
	15.14.02.27030	Locking Screw with Variable Angle, Ti, Ø2.7 x 30mm, Torx	5

Screw size checking slot and
drill bit Ø checking holes



N#	REF	DESC	QTY
59	15.17.02.18008	Locking Pin Variable Angle, Ti, Ø1.8 x 08mm, Torx	5
	15.17.02.18010	Locking Pin Variable Angle, Ti, Ø1.8 x 10mm, Torx	5
	15.17.02.18012	Locking Pin Variable Angle, Ti, Ø1.8 x 12mm, Torx	5
	15.17.02.18014	Locking Pin Variable Angle, Ti, Ø1.8 x 14mm, Torx	5
	15.17.02.18016	Locking Pin Variable Angle, Ti, Ø1.8 x 16mm, Torx	5
	15.17.02.18017	Locking Pin Variable Angle, Ti, Ø1.8 x 17mm, Torx	5
	15.17.02.18018	Locking Pin Variable Angle, Ti, Ø1.8 x 18mm, Torx	5
	15.17.02.18019	Locking Pin Variable Angle, Ti, Ø1.8 x 19mm, Torx	5
	15.17.02.18020	Locking Pin Variable Angle, Ti, Ø1.8 x 20mm, Torx	5
	15.17.02.18021	Locking Pin Variable Angle, Ti, Ø1.8 x 21mm, Torx	5
	15.17.02.18022	Locking Pin Variable Angle, Ti, Ø1.8 x 22mm, Torx	5
	15.17.02.18023	Locking Pin Variable Angle, Ti, Ø1.8 x 23mm, Torx	5
	15.17.02.18024	Locking Pin Variable Angle, Ti, Ø1.8 x 24mm, Torx	5
	15.17.02.18026	Locking Pin Variable Angle, Ti, Ø1.8 x 26mm, Torx	5
15.17.02.18028	Locking Pin Variable Angle, Ti, Ø1.8 x 28mm, Torx	5	
15.17.02.18030	Locking Pin Variable Angle, Ti, Ø1.8 x 30mm, Torx	5	



60	15.28.03.27010	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 10mm Torx - S/I Extremities	2
	15.28.03.27012	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 12mm Torx - S/I Extremities	2
	15.28.03.27014	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 14mm Torx - S/I Extremities	2
	15.28.03.27016	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 16mm Torx - S/I Extremities	2
	15.28.03.27018	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 18mm Torx - S/I Extremities	2
	15.28.03.27020	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 20mm Torx - S/I Extremities	2
	15.28.03.27022	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 22mm Torx - S/I Extremities	2
	15.28.03.27024	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 24mm Torx - S/I Extremities	2
	15.28.03.27026	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 26mm Torx - S/I Extremities	2
	15.28.03.27028	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 28mm Torx - S/I Extremities	2
	15.28.03.27030	Cannulated Screw, Partly Threaded Ti, Ø2,7 x 30mm Torx - S/I Extremities	2



61	15.04.01.24006	Cortical Screw, Ti, Ø2,4 x 6mm Torx	5
	15.04.01.24008	Cortical Screw, Ti, Ø2,4 x 8mm Torx	5
	15.04.01.24010	Cortical Screw, Ti, Ø2,4 x 10mm Torx	5
	15.04.01.24012	Cortical Screw, Ti, Ø2,4 x 12mm Torx	5
	15.04.01.24014	Cortical Screw, Ti, Ø2,4 x 14mm Torx	5
	15.04.01.24016	Cortical Screw, Ti, Ø2,4 x 16mm Torx	5
	15.04.01.24018	Cortical Screw, Ti, Ø2,4 x 18mm Torx	5
	15.04.01.24020	Cortical Screw, Ti, Ø2,4 x 20mm Torx	5
	15.04.01.24022	Cortical Screw, Ti, Ø2,4 x 22mm Torx	5
	15.04.01.24024	Cortical Screw, Ti, Ø2,4 x 24mm Torx	5
	15.04.01.24026	Cortical Screw, Ti, Ø2,4 x 26mm Torx	5
	15.04.01.24028	Cortical Screw, Ti, Ø2,4 x 28mm Torx	5
	15.04.01.24030	Cortical Screw, Ti, Ø2,4 x 30mm Torx	5









AST.BOX.040
REV.02
11/2022